
F.A.U. RTE.	F.A.U.   SECTION		COUNTY	TOTAL SHEET SHEETS NO.		
8873			MADISON	18	14	
FED. RO	AD DIST. NO.	ILLINO	is fed. Aid	FED. AID PROJECT		

CONTRACT No. 97270



PRESSURE TREATED 2" X 6" T & G WD. DECKING (FUNISHED BY OWNER & INSTALLED BY CONTRACTOR) PRE-FINISHED STANDING SEAM MTL. ROOF W SNOW GUARDS (PROVIDE FLASHING AS REQ'D BY ROOF MFG'R) SIMPSON HURRICANE ANCHOR TYPICAL @ EA. RAFTER END 2'-6" 2'-6" OVERHANG OVERHANG PRESSURE TREATED 2" X 6" T & G ND. DECKING CONT. PRE-FINISHED ALUM. DRIP EDGE BEAR'S PT. 2" X 8" MD. FASCIA WRAPPED IN PRE-FIN. ALUM. BREAK MTL. 4 MD. BLOCKING - 2 X & ND. TOP PLATE IXIOND. TRIM 2 X 8 WD. STUDS @ 16" O.C. 2 X 4 MD. NAILER (4) 2 X 12 MD. HEADER/BEAM W (2) 5/8" PLYMD. FILLERS -1/2" ANCHOR BOLT @ 24" O.C. 6" BOND BEAM W (2) #6 BARS - CONT. IX8 ND. TRIM -12x12 4" X 12" X 12" GLASS BLOCK - 3" X 4" PRE-FIN, ALUM, DOWNSPOUT 4" X 8" X 8" GLASS BLOCK 8" SMOOTH CONC. BLOCK \_ - BEYOND IO" X 4" X I6" SOLID CONG. BLOCK W I I/4" PROJECTION @ EXTERIOR SIDE 4" GLASS BLOCK - BEYOND - 8" × 6" × 16" SPLIT-FACE CONC. BLOCK 8" SPLIT-FACE BLOCK - BEYOND IO" CONC. BLOCK - BEYOND GROUT BOT. (3) COURSES SOLID 8" HIGH MASONRY OPENING 5" CONC. WALK\_ SLOPED @ 1/8" PER FT. 5" CONC. WALK SLOPED @ 1/8" PER FT. 5" CONC. SLAB W 4 X 4, W5 X W5 W.W.F. - I/2" EXPANSION JT. - SEALED SEE STRUCTURAL DRAMINGS FOR CONG. FOUNDATION REINFORCING - 4" GRANULAR FILL SEE STRUCTURAL DRAWINGS FOR CONC. FOUNDATION REINFORCING I'-6" X I'-6" CONC. TRENCH FOOTING 1'-6"

2 X 6 MD. RIDGE BEAM

5/8\* PLYMD, ROOF SHEATHING

- 2 X 6 MD, RAFTER @ 24" O.C.

PILASTER WALL SECTION

SCALE: 3/4" = 1'-0"

BUILDING SECTION SCALE: 3/4" = 11-0"

HENDERSON Associates LEWARDSVILLE RUNNOS LEWARDSVILLE RUNNOS LOSS ARCHITECTS 618.456.4618 fox 618.456.3999			WALL & BUILDING SECTIONS HIGHLAND PARK-RIDE IMPROVEMENTS MADISON COUNTY TRANSIT HIGHLAND, ILLNOIS SECTION NO. 00-00012-00-PK						
	REVISIONS			SCALE: 3/4" = 1'-0"					
NO.	DATE	BY		REMARKS					
					DSN. BY:	JRH	DATE:	11-4-05	SHEET
		$\Box$			DWN. BY:	RMS	DATE:	11-11-05	14
					CHK'D:	RMS	DATE:	11-18-05	יין ן
DWG.	NO.				JOB NO.	2443C	DWG NAME:	2443C	OF 18 SHTS